L16	L15	L10	6	٦8	L7	F6	# Ref
3884	4255	14	15	ъ	и	ь	Hits
I15 and @ad<"20040107"	((phase\$1shift\$3 (phase adj shift)) with ("90" near degree))	l9 and @ad<"20040107"	(common adj reference) with (average near2 value)	7 and @ad<"20040107"	(average near2 value) same ((phase\$1shift\$3 (phase adj shift)) with ("90" near degree))	reference same (average near2 value) same ((phase\$1shift\$3 (phase adjshift)) with ("90" near degree))	Search Query
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	DBs
OR.	O _R	O _R	O _R	OR	O _R	O _R	Default Operator
ON	ON N	N _O	Q _N	O _N	ON O	O _N	Plurals
2005/03/07 09:32	2005/03/07 13:30	2005/03/07 09:01	2005/03/07 09:01	2005/03/07 08:42	2005/03/07 09:01	2005/03/07 09:31	Time Stamp

_						
2005/03/07 11:34	ON	O _R	US-PGPUB; USPAT; EPO; JPO; DERWENT; IRM TOB	 !7 116 and ((\$3calbrat\$5 \$3adjust\$5 compar\$5 scal\$3 measur\$5 \$3balance \$3stabiliz\$5 \$3trim standard\$5) with (value signal input amplitude)) same \$4symmetr\$7 	127	126
2005/03/07 09:32	O _N	O _R	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	8 I21 and @ad<"20040107"	8	L22
2005/03/07 09:31	O _N	O _R	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	8 reference same average same ((phase\$1shift\$3 (phase adj shift)) with ("90" near degree))	σ.	L21
2005/03/07 09:08	S S	O _R	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	4 119 and (average near2 value)	14	L20
2005/03/07 09:08	9	OR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	8 116 and (common adj reference)	88	L19
2005/03/07 09:02	O _N	O _R	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	1 l16 and reference same (average near2 value)	51	L18
2005/03/07 09:08	O _N	O _R	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	0 116 and (common adj reference) same (average near2 value)	0	L17

L42	L41	<u> </u>	<u></u>	L29		L27
74	634	L	12	52	72	37
(324/89,623.ccls.) and @ad<"20040107"	(324/76.47,76.82.ccls.) and @ad<"20040107"	l26 and (value signal input amplitude) near3 (non\$1symmetr\$7 (non\$2 adjsymmetr\$7))	l29 and ((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) same (phase\$1shift\$3 (phase adj shift))	126 and (value signal input amplitude) near3 \$4symmetr\$7	126 and (value signal input amplitude) near5 \$4symmetr\$7	126 and ((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) same (phase\$1shift\$3 (phase adj shift))
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
O _R	O _R	O _R	Q _R	O _R	O _R	O _R
Q	Q	Q.	Q.	Q	Q ·	Q
2005/03/07 13:29	2005/03/07 13:29	2005/03/07 11:41	2005/03/07 11:35	2005/03/07 11:39	2005/03/07 11:34	2005/03/07 11:35

2005/03/03 09:38	OFF	OR.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2 ("20040140793").PN.		SI
2005/03/07 13:35	O _N	QR.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	9 l44 and ((phase\$1shift\$3 (phase adj shift)) with ("90" near degree))		L48
2005/03/07 13:35	O _N	OR.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	4 143 and ((phase\$1shift\$3 (phase adj shift)) with ("90" near degree))		L47
2005/03/07 13:34	O _N	O _R	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	3 142 and ((phase\$1shift\$3 (phase adj shift)) with ("90" near degree))		L46
2005/03/07 13:33	O _N	OR.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	6 141 and ((phase\$1shift\$3 (phase adj shift)) with ("90" near degree))		L45
2005/03/07 13:30	O _N	OR.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	501 (324/207.23,207.25.ccls.) and @ad<"20040107"	1501	L44
2005/03/07 13:29	Q.	Q,	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB)71 (324/207.12,207.22.ccls.) and @ad<"20040107"	1071	L43

88	\$7	S6	S5	S4	S	S2
17	4	6	9	37	1019	346
(("5644514") or ("6018318") or ("6466889") or ("5216626") or ("6087829") or ("6512589") or ("20020144423") or ("20030107510")).PN.	("3,019,390").PN.	S4 and (indicat\$3 mark\$3 read\$3 regist\$7 record\$3 identif\$5) near2 value	\$3 and ((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) same (phase\$1shift\$3 (phase adj shift))	S2 and ((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) same (phase\$1shift\$3 (phase adj shift))	(324/76.11.ccls.) and @ad<"20040107"	(324/76.77.ccls.) and @ad<"20040107"
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
Q _R	Q _R	O _R	О _Р	Q _R	O _R	Q _R
OFF	OFF	ON.	ON	O _N	Q	Q
2005/03/03 11:28	2005/03/03 10:54	2005/03/03 13:11	2005/03/07 11:31	2005/03/03 11:37	2005/03/07 13:28	2005/03/07 08:36

S15	S14	S13	S12	S11	S10	9
2 d	1 Q	2	<u> </u>	1 de	1	8
de-19849554-\$.did.	de-19747753-\$.did.	de-19605472-\$.did.	ep-394942-\$.did.	de-10113871-\$.did.	de-4419050-\$.did.	(("5414516") or ("5485407") or ("5943639") or ("20020171418")).PN.
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB						
O _R	OR					
Q	O	O Z	O _N	Q	O _Z	OFF
2005/03/03 11:24	2005/03/03 11:22	2005/03/03 11:22	2005/03/03 11:21	2005/03/03 11:21	2005/03/03 11:21	2005/03/03 11:19

S22	S21	S20	\$19	S18	\$17	S16
2	 -	–	<u> </u>	н		<u> </u>
de-19938802-\$.did.	de-19818654-\$.did.	de-10208915-\$.did.	de-10160835-\$.did.	de-10117193-\$.did.	de-19719564-\$.did.	de-3932187-\$.did.
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
Show the state of	유	, , , , ,	있 유	유	유	QR
ON.	<u>S</u>	9	<u>S</u>	. Q	<u>S</u>	ON .
2005/03/03 11:25	2005/03/03 11:25	2005/03/03 11:25	2005/03/03 11:25	2005/03/03 11:25	2005/03/03 11:24	2005/03/03 11:24

S29	S28	S27	S26	S25	S24	S23
-	2	ω	p.	2	2	2
S26 and (indicat\$3 mark\$3 read\$3 regist\$7 record\$3 identif\$5 check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 inspect\$3) near2 (value signal input)	("6741199").PN.	S9 and ((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) same (phase\$1shift\$3 (phase adj shift))	S8 and ((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) same (phase\$1shift\$3 (phase adj shift))	ep-1102040-\$.did.	de-19505176-\$.did.	de-19539134-\$.did.
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
Q.	O _R	О _Р	Q _R	O _R	O _R	O _R
ON	OFF	ON	ON	Q	Q	Q
2005/03/03 13:12	2005/03/03 11:40	2005/03/04 09:44	2005/03/04 09:49	2005/03/03 11:26	2005/03/03 11:26	2005/03/03 11:26

2005/03/04 09:47	ON	OR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	764 S35 and @ad<"20040107"	7	S36
2005/03/04 16:42	O _N	OR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	818 (add\$5 subtract\$5) same ((phase\$1shift\$3 (phase adj shift)) with "90")		S35
2005/03/04 09:50	O _N	OR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	3 S32 and (\$3calbrat\$5 \$3adjust\$5 compar\$5 scal\$3 measur\$5 \$3balance \$3stabiliz\$5 \$3trim standard\$5) with (value signal input amplitude)		S34
2005/03/03 14:57	Q N	OR.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	1 S31 and (\$3calbrat\$5 \$3adjust\$5 compar\$5 scal\$3 measur\$5 \$3balance \$3stabiliz\$5 \$3trim standard\$5) with (value signal input amplitude)		S33
2005/03/04 09:51	O _N	OR.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	3 S30 and (detect\$3 sens\$3) with (value signal input)		S32
2005/03/03 13:14	Q	QR.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	1 S29 and (detect\$3 sens\$3) with (value signal input)		S31
2005/03/03 13:13	ON	OR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	3 S27 and (indicat\$3 mark\$3 read\$3 regist\$7 record\$3 identif\$5 check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 inspect\$3) near2 (value signal input)		S30

S44	S43	S42	S41	S39	S38	S37
4.	0	0	127	127	150	173
S39 and average same ((phase\$1shift\$3 (phase adj shift)) with "90")	S39 and average near5 ((phase\$1shift\$3 (phase adj shift)) with "90")	S39 and (average near5 (phase\$1shift\$3 (phase adj shift))) with "90"	S39 and (average near\$5 (phase\$1shift\$3 (phase adj shift))) with "90"	S38 and (detect\$3 sens\$3) with (value signal input amplitude)	S37 and (\$3calbrat\$5 \$3adjust\$5 compar\$5 scal\$3 measur\$5 \$3balance \$3stabiliz\$5 \$3trim standard\$5) with (value signal input amplitude)	\$36 and ((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) same (phase\$1shift\$3 (phase adj shift))
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
O _R	O _R	O _R	O _R	O _R	O _R	OR.
O _N	O _N	O _N	O _N	Q	O _N	O _N
2005/03/04 10:12	2005/03/04 09:56	2005/03/04 09:55	2005/03/04 09:55	2005/03/04 09:51	2005/03/07 11:27	2005/03/04 16:39

input an	\$3stabiliz\$5 \$3trim standard\$5) with (value signal input amplitude) EPO; JPO; DERWENT;	
al\$3 measur	ance	
	US-PGPUB; USPAT; EPO; JPO; DERWENT;	US-PGPUB; OR USPAT; EPO; JPO; DERWENT;
(phase adj	reference same (average with ((phase\$1shift\$3 (phase adj shift)) with ("90" US-PGPUB; near degree))) DERWENT; IBM_TDB	
	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; OR USPAT; EPO; JPO; DERWENT; IBM_TDB
	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; OR USPAT; EPO; JPO; DERWENT; IBM_TDB
	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; OR USPAT; EPO; JPO; DERWENT; IBM_TDB
1shift\$3 (p	S39 and reference same average same ((phase\$1shift\$3 (phase adj shift)) With "90") EPO; JPO; DERWENT; IBM_TDB	

2005/03/04 16:44	S _N	Q.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	73 add\$5 same subtract\$5 same ((phase\$1shift\$3 (phase adj shift)) with ("90" near degree))	7	S58
2005/03/04 16:43	ON	O _R	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	add\$5 same subtract\$5 same ((phase\$1shift\$3 (phase adj shift)) with "90")	8	S57
2005/03/04 16:41	ON	OR.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	4 \$53 and ((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) same (phase\$1shift\$3 (phase adj shift))		S56
2005/03/04 16:41	ON	O _R	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	24 S52 and ((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) same (phase\$1shift\$3 (phase adj shift))	2	S55
2005/03/04 16:45	ON	O _R	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	28 S51 and ((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) same (phase\$1shift\$3 (phase adj shift))	2	S54
2005/03/04 16:37	N O	O _R	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	43 \$48 and (\$3calbrat\$5 \$3adjust\$5 compar\$5 scal\$3 measur\$5 \$3balance \$3stabiliz\$5 \$3trim standard\$5) with (value signal input amplitude)	243	S53
2005/03/04 16:37	ON O	Q.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	9 S47 and (\$3calbrat\$5 \$3adjust\$5 compar\$5 scal\$3 measur\$5 \$3balance \$3stabiliz\$5 \$3trim standard\$5) with (value signal input amplitude)	709	S52

2005/03/04 16:46	Q.	OR .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	20 S59 and ((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) same (phase\$1shift\$3 (phase adj shift))	20	S62
2005/03/04 16:46	9	OR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	\$20 and ((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) same (phase\$1shift\$3 (phase adj shift))	22	S61
2005/03/04 16:44	O _Z	OR.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	73 S57 and @ad<"20040107"	73	S60
2005/03/04 16:44	O _N	Q.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	67 S58 and @ad<"20040107"	67	S59